

0/768,78)

	Type	Ref #	Hits	Search Text	DBs
1	IS&R	S1	209	(62/173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	IS&R	S2	324	(62/84).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	IS&R	S3	175	(62/192).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	IS&R	S4	184	(62/193).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	IS&R	S5	376	(62/468).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	S6	866	S2 or S3 or S4 or S5	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	S7	0	S1 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	IS&R	S8	735	(62/155).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	S9	2	S1 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	BRS	S10	53	S1 and (heater or (heat\$3 adj element))	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	S11	105	S6 and (heater or (heat\$3 adj element))	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	IS&R	S12	722	(165/267).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	BRS	S13	0	S1 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	S14	0	S6 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT
15	BRS	S15	2	S1 and (puls\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
16	BRS	S16	5715	puls\$3 near5 (heater or (heat\$3 adj element))	US-PGPUB; USPAT; EPO; JPO; DERWENT
17	BRS	S17	54	S16 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	BRS	S18	338922	maintain\$3 near3 temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	BRS	S19	41	S1 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	S20	20851	S18 with (heater or (heat\$3 adj element))	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	S21	3	S1 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	S22	9	S6 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	S23	15312	continuous\$2 near3 cooling	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	S24	18114	continuous\$2 near3 (cooling or compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT
25	BRS	S25	7	S1 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	S26	21979	discharge adj pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	BRS	S27	10	S1 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT
28	IS&R	S28	413	(165/240).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	BRS	S29	18114	continuous\$2 near3 (cooling or compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT
30	BRS	S30	8	S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
31	BRS	S31	2	false adj heat adj load	US-PGPUB; USPAT; EPO; JPO; DERWENT
32	BRS	S32	308	reheat\$3 adj coil	US-PGPUB; USPAT; EPO; JPO; DERWENT
33	IS&R	S33	209	(62/173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
34	BRS	S34	32	S33 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT
35	IS&R	S35	252	(62/90).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
36	BRS	S36	565968	(heater or (heat\$3 adj element))	US-PGPUB; USPAT; EPO; JPO; DERWENT
37	BRS	S37	64	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT
38	BRS	S38	11477	cycle with ((heater or (heat\$3 adj element)))	US-PGPUB; USPAT; EPO; JPO; DERWENT
39	BRS	S39	18	(S33 or S35) and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT
40	BRS	S40	19672	("on" or "off") near3 ((heater or (heat\$3 adj element)))	US-PGPUB; USPAT; EPO; JPO; DERWENT
41	BRS	S41	11	(S33 or S35) and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT
42	BRS	S42	12877	(start\$3 or stop\$3) near3 ((heater or (heat\$3 adj element)))	US-PGPUB; USPAT; EPO; JPO; DERWENT
43	BRS	S43	13623	(start\$3 or stop\$4) near3 ((heater or (heat\$3 adj element)))	US-PGPUB; USPAT; EPO; JPO; DERWENT
44	BRS	S44	6	(S33 or S35) and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
45	BRS	S45	19	("2246956" "2498864" "3759053" "3834618" "4002199" "4417450" "4441329" "4590773" "4689966" "5265434" "5487277" "5708256" "5750961" "5844207" "6006531" "6101826" "6153860").PN. OR ("6820435").URPN.	US-PGPUB; USPAT; USOCR
46	IS&R	S46	2	("6820435").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT
47	BRS	S47	1	S46 and compressor	US-PGPUB; USPAT; EPO; JPO; DERWENT
48	BRS	S48	0	S46 and oil	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
1	IS&R	S1	209	(62/173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	IS&R	S2	732	((62/84) or (62/192) or (62/468)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	IS&R	S3	0	("001and2").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	S4	0	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	S5	122	S2 and (heat\$3 near3 evaporator)	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	S6	13	S2 and (heater with evaporator)	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	S7	4690	(oil or lubricant) near5 evaporator	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	BRS	S8	66	S5 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	S9	1	S2 and ((heating adj (member or means or element)) with evaporator)	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	BRS	S10	13709	pulse near3 heat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	S11	15432	puls\$3 near3 heat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	BRS	S12	205	S11 and "62"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	IS&R	S13	732	((62/84) or (62/192) or (62/468)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	S14	122	S13 and (heat\$3 near3 evaporator)	US-PGPUB; USPAT; EPO; JPO; DERWENT
15	BRS	S15	5	S14 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
16	BRS	S16	1828	"62"/\$.ccls. and (heater with evaporator)	US-PGPUB; USPAT; EPO; JPO; DERWENT
17	BRS	S17	678	"62"/\$.ccls. and (heater with evaporator with temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	BRS	S18	4	S17 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	BRS	S19	4454	"62"/\$.ccls. and (heat\$3 with evaporator with temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	S20	49	S19 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	S21	81	S13 and heater	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	S22	27	S13 and (heat\$3 near3 space)	US-PGPUB; USPAT; EPO; JPO; DERWENT